



PODANE RUCE UK, PO Box 49207, London SE9 1WB
Email: enquiries@podaneruce.org.uk

Tel: 0203 397 0360
Fax: 0203 397 0361

Name: _____

Job Title: _____

e-mail: _____

Organisation: _____

Delivery Address: _____

Postcode: _____

Telephone: _____

To order any of our publications, send this form directly to us by email/fax/post and we will request payment by invoice. You may prefer to enclose your payment with your order form and in that case, please make your cheque payable to Podane Ruce UK.

All our publications are available in three languages: English/Polish, English/Czech, English/Russian. Please specify the quantity you would like for each language.

DESCRIPTION	LANGUAGE			UNIT PRICE	TOTAL
	POLISH	CZECH	RUSSIAN		
<i>SAMPLE DRUG BOOKLETS</i>	10	10		£0.60	£12.00
Amphetamines					
Crack/Cocaine					
Ecstasy					
Heroin					
LSD					
Methamphetamines					
Poppers					
Solvents					
Drugs, the UK Law and Treatment Services					
Overdose Prevention					
Overdose Emergency					
Safer Injecting					
SUBTOTAL					
POSTAGE & PACKAGING - Add 10% of the total					
TOTAL					



PODANE RUCE UK, PO Box 49207, London SE9 1WB
Email: enquiries@podaneruce.org.uk

Tel: 0203 397 0360
Fax: 0203 397 0361

All the following are available in **ENGLISH/POLISH, ENGLISH/CZECH and ENGLISH/RUSSIAN.**

<p>AMPHETAMINES</p> <p>Class B Drug. 'Speed' is the street name for a range of amphetamines such as amphetamine sulphate, dexedrine and dexamphetamine. Like cocaine, amphetamines are stimulants that people take to keep them awake and alert. The effects of amphetamine start within half an hour of ingesting it by mouth. If you inject it you'll experience the effects quicker and these effects can last for up to six hours.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>CRACK/COCAINE</p> <p>Class A Drug. Cocaine powder and crack are all forms of cocaine. They are stimulants with powerful, but short-lived effects. Snorted powder cocaine is absorbed more slowly. Hence, smoked crack tends to be much stronger and more addictive than snorted powder cocaine. However, all forms of cocaine prepared for injection (whether powder cocaine or crack) can also reach the brain rapidly in high doses and so can be very addictive too.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>ECSTASY</p> <p>Class A Drug. Ecstasy is often called the original designer drug because of its synonymous relationship with rave culture in the early 90s. Clubbers took ecstasy to stay awake and dance for hours. The effects take about half an hour to kick in and tend to last between 3 to 6 hours.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>HEROIN</p> <p>Class A Drug. Heroin is a natural opiate which is extracted from the opium poppy. Like many drugs made from opium, heroin is a very strong painkiller. 'Street' heroin sold as 'brown' is sometimes used by clubbers as a chill out after a big night out.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>LSD</p> <p>Class A Drug. LSD is a hallucinogenic drug (which means you're likely to experience a distorted view of objects and reality, including in the form of hallucinations). It's commonly called 'acid'. The experience is known as a 'trip' and these trips can be good or bad. A trip can take from 20 minutes to an hour to start and usually lasts about 12 hours. Once it's started you can't stop it. And until you take a tab of acid you can't tell how strong it is or how it's going to affect you.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>METHAMPHETAMINES</p> <p>Class A Drug. Methyl amphetamine (commonly referred to as methamphetamine) is one of a group of stimulant drugs that act on the brain and nervous system. Like cocaine and amphetamines, methamphetamine has stimulant properties but is much longer acting. The crystalline form can be easily smoked and can rapidly lead to high blood levels. It's also long-acting compared to crack so it's an extremely powerful and addictive stimulant.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>POPPERS</p> <p>Poppers are small bottles filled with liquid chemicals called alkyl nitrites. Nitrites like amyl nitrite dilate the blood vessels and allow more blood to get to the heart. They're usually sniffed straight from the bottle and deliver a short, sharp high. Poppers are often sold in sex shops, clubs and gay bars.</p> <p>THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>



PODANE RUCE UK, PO Box 49207, London SE9 1WB
 Email: enquiries@podaneruce.org.uk

Tel: 0203 397 0360
 Fax: 0203 397 0361

<p>SOLVENTS Solvents include: Gas lighter refills, aerosols containing hairspray, deodorants and air fresheners, tins or tubes of glue, some paints, thinners and correcting fluids, cleaning fluids, surgical spirit, dry-cleaning fluids and petroleum products. When inhaled, solvents have a similar effect to alcohol. THE EFFECTS, CHANCES OF GETTING HOOKED, APPEARANCE AND USE, COST AND PURITY, RISKS, KEEPING SAFE.</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>DRUGS, THE UK LAW AND TREATMENT SERVICES CLASSIFICATION OF DRUGS, DRUG OFFENCES, DRUG TREATMENT SERVICES</p>	<p>SIZE: 120x120mm PAGES: 8 (stapled)</p>
<p>OVERDOSE EMERGENCY Death from an overdose can be prevented if certain steps are taken. Immediately after an overdose injection the symptoms may not be clear. For example, it can take several hours for death to take place after the initial injection of a heroin overdose. RECOVERY POSITION, CALLING AN AMBULANCE.</p>	<p>SIZE: 360x120mm two folds to 120x120mm</p>
<p>OVERDOSE PREVENTION You don't have to take a lethal dose of drugs to die of an overdose; it only takes a tablespoonful of fluid to kill you if you are on your back, unconscious and unable to swallow! This has been the cause of many overdose deaths. OVERDOSE CAUSES, REDUCE THE RISKS, SIGNS OF AN OVERDOSE.</p>	<p>SIZE: 360x120mm two folds to 120x120mm</p>
<p>SAFER INJECTING INJECTING SITES, FINDING A VEIN, AVOIDING VEIN DAMAGE, DANGERS.</p>	<p>SIZE: 120x120mm PAGES: 12 (stapled)</p>

DESCRIPTION	ENGLISH/POLISH - ENGLISH/CZECH - ENGLISH/RUSSIAN		
	1 +	50 +	100 +
Amphetamines	£0.60	£0.55	£0.50
Crack/Cocaine	£0.60	£0.55	£0.50
Ecstasy	£0.60	£0.55	£0.50
Heroin	£0.60	£0.55	£0.50
LSD	£0.60	£0.55	£0.50
Methamphetamines	£0.60	£0.55	£0.50
Poppers	£0.60	£0.55	£0.50
Solvents	£0.60	£0.55	£0.50
Drugs, the UK Law and Treatment Services	£0.60	£0.55	£0.50
Overdose Prevention	£0.50	£0.45	£0.40
Overdose Emergency	£0.50	£0.45	£0.40
Safer Injecting	£0.70	£0.65	£0.60